


Cylinder 5 stage front end with spherical eye

CS18LS56733S19S03S



SPECIFICATION

Stage	Diameter	Length	Stroke	Swept Volume
-	-	-	-	-
0	211	1725	-	-
1	188	1690	1470	41
2	167	1690	1487	33
3	147	1690	1497	25
4	127	1690	1512	19
5	105	1715	767	7
Total (+5/-10)			6733	125
Final stroke reduced by	750	Priming Volume		24.3
Cylinder Mass (Kg)	278	Total Volume (Litres)		149.3
Maximum Pressure (Bar)	190	Max. first stage thrust		200 KN
Mounted Centres	1788	Open Centres		8521

NOTES

1. This cylinder is for lifting purposes only and side load conditions should be avoided
2. Cylinder is painted in Nova Grey (RAL 7350)
3. Refer to www.edbro.com for:-
 - Bracket details
 - Installation instructions that must be observed
 - Correct oil selection
 - An explanation of tipping capacity

*Includes 7mm Pull Out.
Last Stage Chrome Plated


Edbro
SETTING THE INDUSTRY STANDARD

Edbro plc
Nelson Street, Bolton, England, BL3 2JJ
Tel +44 (0) 1204 528888 Fax +44 (0) 1204 531957
Email: postmaster@edbro.com Web: www.edbro.com

Technical Specifications are subject to change without notice
Date Created/Updated: 11 September 2015
Refer www.edbro.com to confirm latest specification
All dimensions are in 'mm', unless otherwise stated

Cylinder 5 stage front end with spherical eye

CS18LS56733S19S03S



SPECIFICATION

Stage	Diameter	Length	Stroke	Swept Volume
-	-	-	-	-
0	211	1725	-	-
1	188	1690	1437	40
2	167	1690	1487	33
3	147	1690	1497	25
4	127	1690	1512	19
5	105	1715	767	7
			Total (+5/-10)	6700
Final stroke reduced by		750	Priming Volume	25.3
Cylinder Mass (Kg)		278	Total Volume (Litres)	149.3
Maximum Pressure (Bar)		190	Max. first stage thrust	200 KN
Mounted Centres		1821	Open Centres	8521

Mounting centres adjusted to suit Schmitz Ref SKI 10.5
Refer to Enquiry H074-2015.

NOTES

1. This cylinder is for lifting purposes only and side load conditions should be avoided
2. Cylinder is painted in Nova Grey (RAL 7350)
3. Refer to www.edbro.com for:-
 - Bracket details
 - Installation instructions that must be observed
 - Correct oil selection
 - An explanation of tipping capacity

*Includes 40mm Pull Out.
Last Stage Chrome Plated

Edbro
SETTING THE INDUSTRY STANDARD

Edbro plc
Nelson Street, Bolton, England, BL3 2JJ
Tel +44 (0) 1204 528888 Fax +44 (0) 1204 531957
Email: postmaster@edbro.com Web: www.edbro.com

Technical Specifications are subject to change without notice
Date Created/Updated: 11 September 2015
Refer www.edbro.com to confirm latest specification
All dimensions are in 'mm', unless otherwise stated